

## **Conditions of Use for Dual MAGNUM**

It is a violation of federal law to use Dual Magnum in a manner inconsistent with its labeling. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered Dual Magnum label.

### **General Information**

Chemigation: Do Not apply this product through any type of irrigation system.

Dual Magnum will not control emerged weeds. For effective weed control, Dual Magnum must be applied to clean-tilled soil.

### **Transplanted Bell Peppers:**

#### ***Row Middle Application:***

Apply Dual Magnum with ground application equipment to the row middles between plastic rows

- 1) prior to transplanting or
- 2) after transplanting both as a directed and shielded application (away from bell pepper plants and avoiding contact with plastic).

Use 0.5 to 1.0 pints (0.48 to 0.95 lb a.i.) per acre according to soil type in at least 15 gallons of water per acre. Use lower rates on coarse and sandy soils and higher rates on silt and clay soils (See product label for more specific information on soil types).

#### ***Surface Broadcast Application Under Plastic:***

Dual Magnum may also be applied as a surface broadcast application with ground application equipment to the top of the pressed, preformed bed as the last step immediately prior to laying the plastic. Insure plastic laying process does not incorporate the herbicide applied to the top of the preformed bed. Use 0.5 to 1.0 pints (0.48 to 0.95 lb a.i.) per acre according to soil type in at least 15 gallons of water per acre. Use lower rates on coarse and sandy soils and higher rates on silt and clay soils. (See product label for more specific information on soil types).

#### **Notes:**

- (1) Do Not incorporate.
- (2) Do Not apply to direct seeded bell peppers.
- (3) Muck soils normally require the higher use rate, however, weed control may be reduced on muck soils.
- (4) To avoid illegal residues, make only one application of Dual Magnum per crop season, and Do Not apply within 60 days of harvest.

## **Transplanted Cabbage**

Apply Dual Magnum as a surface broadcast application with ground application immediately prior to transplanting or as a broadcast application within 48 hours after transplanting cabbage on at least 5 week old plants. Use 0.5 – 1.0 pints (0.48 to 0.95 lb a.i.) per acre according to soil type in at least 15 gallons of water per acre. Use lower rates on coarse, sandy soils and higher rates on silt and clay soils. (See product label for more specific information on soil types).

### Notes:

- (1) University of Georgia research is further evaluating the use of Dual Magnum in transplanted cabbage. Contact your local county Extension office for the most recent information available regarding application rate and method of application.
- (2) Do Not incorporate.
- (3) Do Not apply to direct seeded cabbage.
- (4) Muck soils normally require the higher use rate, however, weed control may be reduced on muck soils.
- (5) Crop maturity may be delayed by Dual Magnum application.
- (6) Only one application of Dual Magnum permitted per season, and Do Not apply within 50 days of harvest.

The decision to use or not use this product must be made by the user and/or grower on the basis of possible crop injury from Dual Magnum, the severity of weed infestation, the cost of alternate weed controls, and other factors. Because of the risk of crop damage, all such use is at user and/or grower's risk.